

# New Construction Energy Code Compliance Certificate

Per R401.3 Certificate. A building certificate shall be posted on or in the electrical distribution panel.

Date Certificate Post



Mailing Address of the Dwelling or Dwelling Unit		City
Name of Residential Contractor		MN License Number

THERMAL ENVELOPE								RADON CONTROL SYSTEM	
Insulation Location	Total R-Value of all Types of Insulation	Type: Check All That Apply						Passive (No Fan)	
		Non or Not Applicable	Fiberglass, Blown	Fiberglass, Batts	Foam, Closed Cell	Foam Open Cell	Mineral Fiberboard	Rigid, Extruded Polystyrene	Rigid, Isocyanurate
Below Entire Slab									
Foundation Wall									
Perimeter of Slab on Grade									
Rim Joist (1st Floor)									
Rim Joist (2nd Floor+)									
Wall									
Ceiling, flat									
Ceiling, vaulted									
Bay Windows or cantilevered areas									
Floors over unconditioned area									
Describe other insulated areas									

<b>Building envelope air tightness:</b>		<b>Duct system air tightness:</b>	
<b>Windows &amp; Doors</b>		<b>Heating or Cooling Ducts Outside Conditioned Spaces</b>	
Average U-Factor (excludes skylights and one door) U:		Not applicable, all ducts located in conditioned space	
Solar Heat Gain Coefficient (SHGC):		R-value	

MECHANICAL SYSTEMS						Make-up Air <i>Select a Type</i>	
Appliances	Heating System		Domestic Water Heater		Cooling System		
Fuel Type							Not required per mech. code
Manufacturer							Passive
Model							Powered
Rating or Size	Input in BTUS:		Capacity in Gallons:		Output in Tons:		Interlocked with exhaust device. Describe:
Efficiency	AFUE or HSPF%				SEER /EER		Other, describe:
<b>Residential Load Calculati</b>	<b>Heating Loss</b>		<b>Heating Gain</b>		<b>Cooling Load</b>		Location of duct or system:
							Cfm's
						" round duct OR	
						" metal duct	

MECHANICAL VENTILATION SYSTEM						Combustion Air <i>Select a Type</i>	
Describe any additional or combined heating or cooling systems if installed: (e.g. two furnaces or air source heat pump with gas back-up furnace):						Not required per mech. code	
<b>Select Type</b>						Passive	
Heat Recover Ventilator (HRV) Capacity in cfms:		Low:		High:		Other, describe:	
Energy Recover Ventilator (ERV) Capacity in cfms:		Low:		High:		Location of duct or system:	
Balanced Ventilation capacity in cfms:						Cfm's	
Location of fan(s), describe:						" round duct OR	
Capacity continuous ventilation rate in cfms:						" metal duct	
Total ventilation (intermittent + continuous) rate in cfms:							